



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077

Phone: (856) 303-2500 Fax: (856) 858-4571 Email: EnvChemistry2@emsl.com

Attn:

**Joseph Sbarra
Louis Berger U.S., Inc
48 Wall St.
New York, NY 10005**

10/6/2016

Phone: (212) 612-7900

Fax:

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 9/30/2016. The results are tabulated on the attached data pages for the following client designated project:

**Peekskill Schools Lead Testing / 2041420.025.00 / Woodside
Elementary School**

The reference number for these samples is EMSL Order #011606403. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (856) 303-2500.

Approved By:

Phillip Worby, Chemistry Laboratory Manager



The test results contained within this report meet the requirements of NELAP and/or the specific certification program that is applicable, unless otherwise noted.

NELAP Certifications: NJ 03036, NY 10872, PA 68-00367

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011606403

CustomerID: LBAP78

CustomerPO:

ProjectID:

Attn: **Joseph Sbarra**
Louis Berger U.S., Inc
48 Wall St.
New York, NY 10005

Phone: (212) 612-7900

Fax:

Received: 09/30/16 8:59 AM

Project: Peekskill Schools Lead Testing / 2041420.025.00 / Woodside Elementary School

Analytical Results

Client Sample Description WES-02
 1ST - SIN CUSTODIANS OFFICE TOILET
Collected: 9/29/2016 **Lab ID:** 0002

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.46	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-03
 1ST - SIN KITCHEN HAND WAS STATION
Collected: 9/29/2016 **Lab ID:** 0003

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.89	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-05
 1ST - SIN KITCHEN WASH STATION
 (RIGHT) RINSE SANITIZE
Collected: 9/29/2016 **Lab ID:** 0005

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.36	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-06
 1ST - SIN ICE MACHINE IN KITCHEN
 STORAGE
Collected: 9/29/2016 **Lab ID:** 0006

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-07
 1ST - SIN F IN NURSE/ HEALTH CENTER
Collected: 9/29/2016 **Lab ID:** 0007

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.05	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-09
 1ST - SIN FACULTY LOUNGE
Collected: 9/29/2016 **Lab ID:** 0009

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	6.38	1.00	µg/L	10/3/2016	KB	10/4/2016	EG

Client Sample Description WES-10
 1ST - SIN FACULTY LOUNGE COPY
 ROOM TOILET
Collected: 9/29/2016 **Lab ID:** 0010

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.84	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011606403

CustomerID: LBAP78

CustomerPO:

ProjectID:

Attn: **Joseph Sbarra**
Louis Berger U.S., Inc
48 Wall St.
New York, NY 10005

Phone: (212) 612-7900

Fax:

Received: 09/30/16 8:59 AM

Project: Peekskill Schools Lead Testing / 2041420.025.00 / Woodside Elementary School

Analytical Results

Client Sample Description WES-11
1ST - SIN RM 1
Collected: 9/29/2016
Lab ID: 0011

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	6.74	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-12
1ST - SIN RM 2
Collected: 9/29/2016
Lab ID: 0012

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	7.14	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-13
1ST - SIN LOCKER/ SHOWER RM TOILET
NEAR RM 2
Collected: 9/29/2016
Lab ID: 0013

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	11.2	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-14
1ST - SIN RM 3
Collected: 9/29/2016
Lab ID: 0014

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.77	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-15
1ST - SIN SUITE 1110112 AREA OFFICE
Collected: 9/29/2016
Lab ID: 0015

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	202	5.00	µg/L	10/2/2016	JS	10/5/2016	EG

Client Sample Description WES-16
1ST - SIN RM 4
Collected: 9/29/2016
Lab ID: 0016

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	6.48	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-17
1ST - SIN RM 6
Collected: 9/29/2016
Lab ID: 0017

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	12.8	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011606403

CustomerID: LBAP78

CustomerPO:

ProjectID:

Attn: **Joseph Sbarra**
Louis Berger U.S., Inc
48 Wall St.
New York, NY 10005

Phone: (212) 612-7900

Fax:

Received: 09/30/16 8:59 AM

Project: Peekskill Schools Lead Testing / 2041420.025.00 / Woodside Elementary School

Analytical Results

Client Sample Description WES-18
 1ST - SIN RM 6 TOILET
Collected: 9/29/2016 **Lab ID:** 0018

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	16.6	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-19
 1ST - FIN HALLWAY O/S RM. 5
Collected: 9/29/2016 **Lab ID:** 0019

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-20
 1ST - FIN HALLWAY O/S RM 2
Collected: 9/29/2016 **Lab ID:** 0020

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-21
 1ST - SIN RM 5
Collected: 9/29/2016 **Lab ID:** 0021

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	7.18	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-22
 1ST - SIN RM 5 TOILET
Collected: 9/29/2016 **Lab ID:** 0022

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.75	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-23
 1ST - FIN RM 16
Collected: 9/29/2016 **Lab ID:** 0023

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.95	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-24
 1ST - SIN RM 16
Collected: 9/29/2016 **Lab ID:** 0024

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.30	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011606403

CustomerID: LBAP78

CustomerPO:

ProjectID:

Attn: **Joseph Sbarra**
Louis Berger U.S., Inc
48 Wall St.
New York, NY 10005

Phone: (212) 612-7900

Fax:

Received: 09/30/16 8:59 AM

Project: Peekskill Schools Lead Testing / 2041420.025.00 / Woodside Elementary School

Analytical Results

Client Sample Description WES-25
1ST - FIN RM 17
Collected: 9/29/2016
Lab ID: 0025

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.36	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-26
1ST - SIN RM 17
Collected: 9/29/2016
Lab ID: 0026

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.05	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-27
1ST - FIN RM 18
Collected: 9/29/2016
Lab ID: 0027

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	16.7	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-28
1ST - SIN RM 18
Collected: 9/29/2016
Lab ID: 0028

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	16.7	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-29
1ST - FIN RM 19
Collected: 9/29/2016
Lab ID: 0029

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	17.4	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-30
1ST - SIN RM 19
Collected: 9/29/2016
Lab ID: 0030

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.22	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-31
1ST - FIN RM 20
Collected: 9/29/2016
Lab ID: 0031

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	8.09	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011606403

CustomerID: LBAP78

CustomerPO:

ProjectID:

Attn: **Joseph Sbarra**
Louis Berger U.S., Inc
48 Wall St.
New York, NY 10005

Phone: (212) 612-7900

Fax:

Received: 09/30/16 8:59 AM

Project: Peekskill Schools Lead Testing / 2041420.025.00 / Woodside Elementary School

Analytical Results

Client Sample Description WES-32
1ST - SIN RM 20
Collected: 9/29/2016
Lab ID: 0032

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.96	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-33
1ST - FIN RM 21
Collected: 9/29/2016
Lab ID: 0033

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	7.14	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-34
1ST - SIN RM 21
Collected: 9/29/2016
Lab ID: 0034

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.98	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-35
1ST - FIN RM 23
Collected: 9/29/2016
Lab ID: 0035

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.94	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-36
1ST - SIN RM 23
Collected: 9/29/2016
Lab ID: 0036

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.15	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-37
1ST - FIN RM 22
Collected: 9/29/2016
Lab ID: 0037

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.72	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-38
1ST - SIN RM 22
Collected: 9/29/2016
Lab ID: 0038

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.80	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011606403

CustomerID: LBAP78

CustomerPO:

ProjectID:

Attn: **Joseph Sbarra**
Louis Berger U.S., Inc
48 Wall St.
New York, NY 10005

Phone: (212) 612-7900

Fax:

Received: 09/30/16 8:59 AM

Project: Peekskill Schools Lead Testing / 2041420.025.00 / Woodside Elementary School

Analytical Results

Client Sample Description WES-39
1ST - FIN RM 24
Collected: 9/29/2016 **Lab ID:** 0039

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.08	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-40
1ST - SIN RM 24
Collected: 9/29/2016 **Lab ID:** 0040

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.37	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-41
1ST - FIN RM 25
Collected: 9/29/2016 **Lab ID:** 0041

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.66	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-42
1ST - SIN RM 25
Collected: 9/29/2016 **Lab ID:** 0042

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	18.5	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-43
1ST - SIN TIOLET NEAR RM 25
Collected: 9/29/2016 **Lab ID:** 0043

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-44
1ST - SIN RM 26
Collected: 9/29/2016 **Lab ID:** 0044

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.40	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-45
1ST - FIN RM 27
Collected: 9/29/2016 **Lab ID:** 0045

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011606403

CustomerID: LBAP78

CustomerPO:

ProjectID:

Attn: **Joseph Sbarra**
Louis Berger U.S., Inc
48 Wall St.
New York, NY 10005

Phone: (212) 612-7900

Fax:

Received: 09/30/16 8:59 AM

Project: Peekskill Schools Lead Testing / 2041420.025.00 / Woodside Elementary School

Analytical Results

Client Sample Description WES-46
1ST - SIN RM 27
Collected: 9/29/2016
Lab ID: 0046

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.69	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-47
1ST - FIN RM 28
Collected: 9/29/2016
Lab ID: 0047

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	8.11	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-48
1ST - SIN RM 28
Collected: 9/29/2016
Lab ID: 0048

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.72	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-49
1ST - SIN GIRLS RESTROOM NEAR RM 28 (LEFT)
Collected: 9/29/2016
Lab ID: 0049

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-50
1ST - SIN GIRLS RESTROOM NEAR RM 28 (CENTER)
Collected: 9/29/2016
Lab ID: 0050

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.23	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-51
1ST - SIN GIRLS RESTROOM NEAR RM 28 (RIGHT)
Collected: 9/29/2016
Lab ID: 0051

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.24	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-52
1ST - SIN BOYS RESTROOM NEAR RM 30 (LEFT)
Collected: 9/29/2016
Lab ID: 0052

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.12	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011606403

CustomerID: LBAP78

CustomerPO:

ProjectID:

Attn: **Joseph Sbarra**
Louis Berger U.S., Inc
48 Wall St.
New York, NY 10005

Phone: (212) 612-7900

Fax:

Received: 09/30/16 8:59 AM

Project: Peekskill Schools Lead Testing / 2041420.025.00 / Woodside Elementary School

Analytical Results

Client Sample Description WES-53
 1ST - SIN BOYS RESTROOM NEAR RM
 30 (RIGHT) **Collected:** 9/29/2016 **Lab ID:** 0053

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-54
 1ST - FIN HALLWAY O/S RM 30 **Collected:** 9/29/2016 **Lab ID:** 0054

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-55
 1ST - SIN RM 30 **Collected:** 9/29/2016 **Lab ID:** 0055

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-56
 1ST - FIN RM 32 **Collected:** 9/29/2016 **Lab ID:** 0056

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-57
 1ST - SIN RM 32 **Collected:** 9/29/2016 **Lab ID:** 0057

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-58
 1ST - FIN RM 29 **Collected:** 9/29/2016 **Lab ID:** 0058

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-59
 1ST - SIN RM 29 **Collected:** 9/29/2016 **Lab ID:** 0059

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011606403

CustomerID: LBAP78

CustomerPO:

ProjectID:

Attn: **Joseph Sbarra**
Louis Berger U.S., Inc
48 Wall St.
New York, NY 10005

Phone: (212) 612-7900
 Fax:
 Received: 09/30/16 8:59 AM

Project: Peekskill Schools Lead Testing / 2041420.025.00 / Woodside Elementary School

Analytical Results

Client Sample Description WES-60
1ST - SIN RM 31
Collected: 9/29/2016
Lab ID: 0060

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-61
1ST - FIN HALLWAY 015 NURSE/
HEALTH CENTER
Collected: 9/29/2016
Lab ID: 0061

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-62
1ST - SIN BOYS RESTROOM NEAR
KITCHEN
Collected: 9/29/2016
Lab ID: 0062

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	6.18	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-63
1ST - SIN BOYS RESTROOM NEAR
KITCHEN
Collected: 9/29/2016
Lab ID: 0063

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.81	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-64
1ST - SIN BOYS RESTROOM NEAR
KITCHEN
Collected: 9/29/2016
Lab ID: 0064

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.47	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-65
1ST - SIN GIRLS RESTROOM NEAR RM 8
Collected: 9/29/2016
Lab ID: 0065

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.26	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-66
1ST - SIN GIRLS RESTROOM NEAR RM 8
Collected: 9/29/2016
Lab ID: 0066

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	6.30	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011606403

CustomerID: LBAP78

CustomerPO:

ProjectID:

Attn: **Joseph Sbarra**
Louis Berger U.S., Inc
48 Wall St.
New York, NY 10005

Phone: (212) 612-7900

Fax:

Received: 09/30/16 8:59 AM

Project: Peekskill Schools Lead Testing / 2041420.025.00 / Woodside Elementary School

Analytical Results

Client Sample Description WES-67
 1ST - SIN GIRLS RESTROOM NEAR RM 8
Collected: 9/29/2016 **Lab ID:** 0067

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.40	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-68
 1ST - FIN RM 8
Collected: 9/29/2016 **Lab ID:** 0068

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	7.60	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-69
 1ST - SIN RM 8
Collected: 9/29/2016 **Lab ID:** 0069

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	12.6	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-70
 1ST - FIN HALLWAY O/S RM 10
Collected: 9/29/2016 **Lab ID:** 0070

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-71
 1ST - FIN RM 10
Collected: 9/29/2016 **Lab ID:** 0071

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.34	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-72
 1ST - SIN RM 10
Collected: 9/29/2016 **Lab ID:** 0072

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.73	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Client Sample Description WES-73
 1ST - SIN RM 12
Collected: 9/29/2016 **Lab ID:** 0073

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	7.43	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011606403

CustomerID: LBAP78

CustomerPO:

ProjectID:

Attn: **Joseph Sbarra**
Louis Berger U.S., Inc
48 Wall St.
New York, NY 10005

Phone: (212) 612-7900
Fax:
Received: 09/30/16 8:59 AM

Project: Peekskill Schools Lead Testing / 2041420.025.00 / Woodside Elementary School

Analytical Results

Client Sample Description WES-74 1ST - SIN RM 9		Collected:	9/29/2016	Lab ID:	0074			
Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	22.7	1.00	µg/L	10/2/2016	JS	10/3/2016	EG
Client Sample Description WES-75 1ST - SIN RM 14		Collected:	9/29/2016	Lab ID:	0075			
Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	7.77	1.00	µg/L	10/2/2016	JS	10/3/2016	EG
Client Sample Description WES-76 1ST - FIN RM 11		Collected:	9/29/2016	Lab ID:	0076			
Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	16.8	1.00	µg/L	10/2/2016	JS	10/3/2016	EG
Client Sample Description WES-77 1ST - SIN RM 11		Collected:	9/29/2016	Lab ID:	0077			
Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	17.3	1.00	µg/L	10/2/2016	JS	10/3/2016	EG
Client Sample Description WES-78 1ST - SIN RM 15		Collected:	9/29/2016	Lab ID:	0078			
Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	9.82	1.00	µg/L	10/2/2016	JS	10/3/2016	EG
Client Sample Description WES-79 1ST - FIN RM 13		Collected:	9/29/2016	Lab ID:	0079			
Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	22.2	1.00	µg/L	10/2/2016	JS	10/3/2016	EG
Client Sample Description WES-80 1ST - SIN RM 13		Collected:	9/29/2016	Lab ID:	0080			
Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	8.42	1.00	µg/L	10/6/2016	KB	10/6/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011606403

CustomerID: LBAP78

CustomerPO:

ProjectID:

Attn: **Joseph Sbarra**
Louis Berger U.S., Inc
48 Wall St.
New York, NY 10005

Phone: (212) 612-7900
Fax:
Received: 09/30/16 8:59 AM

Project: Peekskill Schools Lead Testing / 2041420.025.00 / Woodside Elementary School

Analytical Results

Client Sample Description WES-81
EXT. B@GARDEN

Collected: 9/29/2016 **Lab ID:** 0081

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.64	1.00	µg/L	10/2/2016	JS	10/3/2016	EG

Definitions:

ND - indicates that the analyte was not detected at the reporting limit

RL - Reporting Limit (Analytical)